INFORMED PATIENT AGREEMENT - COLLECTION OF BIOLOGICAL SAMPLES

	Name and first name:		
1. The patient's data	Domicile/ Residence:		
	ID card Number/Passport Number:		
	Phone Number:		
	Email address:		
	Name and first name:		
2. The patient's legal representative*	Domicile/Residence:		
* It is used in the case of minors and	Domiche/Residence:		
adults without discernment (for art. 8 paragraphs (3) - (5) of the	As:		
paragraphs (3) - (5) of the methodological norms).			
memodological norms).			
O Martinal And (Incoming to m)	Callection of historical complete		
3. Medical Act (description)	Collection of biological samples		
4. Date of collection			
5. Consent for the collection of	The patient agrees to the collection,		
samples	the storage and usage of the biological pro	oducts YES NO	
	I also declare that I have been informed		
	the degree of testing error, understandi it is assumed by the manufacturer, with	_	
	involvement of LABORATOR CUZA VOI		
	**Please read the information on the ba	ck	
	1		
6. Requested Investigations	☐ Detection of SARS – CoV - 2 - Real -	Time RT – PCR	
7. Execution time	Dotocion of Critico Cov 2 Incar		
	□ 12 h	Romanian	
	□ 24 - 48 h	☐ English	
	I understand that the result of the laboratory analyzes will be available online		
8. Communication	at www.centrul-provided to me together with the analysis request, after the		
	that will be provided to me together with the analysis request, after the		

F09-PG-5.4 Page 1 of 2

** INFORMATION ON THE DEGREE OF TESTING ERROR

The test uses viral RNA amplification (E gene, RdRp gene and N gene) of SARS-CoV-2 virus. The result is viral status at harvest, so one or more undetectable results do not rule out the possibility of Covid-19 infection.

One or more negative results, especially from samples taken from the upper respiratory tract, do not exclude the possibility of SARS-CoV2 infection.

A false-negative result can be explained by:

- sample collected too early or too late during the infection;
- -appearance of mutations in the virus or inhibitors in the PCR reaction. In patients with a firm suspicion of SARS-CoV-2 infection, additional samples may be taken and tested from the lower respiratory tract.

The identification of another pathogen does not exclude the infection with the new coronavirus, the role of coinfection in pathology not being fully known.

To certify the disposal of the virus, it is recommended to repeat the sampling until the results are negated in two consecutive tests by gene amplification reactions.

The signature represents the ract that i have been informed and ragice with the information in this docu	hat I have been informed and I agree with the information in this document.
--	---

Date:	Signature (Patient / Legal Representative):	

F09-PG-5.4 Page 2 of 2